



RISO ComColor® FW Series Printers

# Optional accessories

## Flexibility designed to meet your finishing needs

#### Face Down Finisher F10

Compact finisher exclusively for offset stacking and stapling finished prints

Paper size	Without offset: Max.: 340 mm x 550 mm (13 $\frac{3}{2}$ %" x 21 $\frac{5}{2}$ %"), Min.: 90 mm x 148 mm (3 $\frac{9}{16}$ " x 5 $\frac{27}{22}$ ")  Offset output: Regular sized paper width: 182 mm x 257 mm - 297 mm x 431.8 mm (7 $\frac{3}{16}$ " x 10 $\frac{1}{8}$ " - 11 $\frac{11}{16}$ " x 17")  Irregular sized paper width: 131 mm x 148 mm - 305 mm x 550 mm (5 $\frac{3}{16}$ " x 5 $\frac{27}{32}$ " - 12" x 21 $\frac{5}{8}$ ")
Paper weight	46 gsm to 210 gsm
Tray capacity	Height up to 108 mm (4 $^{1}/_{4}$ ")
Maximum number of sheets for staples	50 sheets¹ A4, B5 (JIS), Letter 25 sheets¹ A3, B4 (JIS), Ledger, Legal, Foolscap
Paper weight for staple	52 gsm to 210 gsm
Staple position	1 at front side (angle stapling), 1 at rear side (angle stapling), 2 at center (parallel stapling)
Print speed (long-edge feed, simplex)	Without offset: 120 ppm; Offset output: 105 ppm



#### Scanner HS7000

The auto feeder enables copying and scanning of duplex originals of up to 200 sheets<sup>2</sup> at a time.

Copying functions	Writing resolution: Standard: 300 dpi x 300 dpi, Fine: 300 dpi x 600 dpi Copy paper size: Max.: 303 mm x 432 mm (11 <sup>15</sup> /16" x 17") First copy time: Monochrome/Color: 7 sec or less <sup>3</sup> Copying speed: 70 ppm (Simplex/Duplex) <sup>4</sup>
Scan functions	Scanning speed: Monochrome/Color: 100 ppm <sup>5</sup> Network interface: Ethernet 1000BASE-T/100BASE-TX/10BASE-T Data-saving format: Monochrome: TIFF, PDF, Grayscale/Full Color: TIFF, JPEG, PDF



<sup>&</sup>lt;sup>1</sup>When using plain paper or recycled paper (85 gsm, <sup>2</sup>80 gsm or less, <sup>3</sup>When copying A4/Letter long-edge feed, using Color Priority Mode, <sup>4</sup>When copying A4/Letter long-edge feed, using Auto Document Feeder,

 $<sup>^{5}</sup>$  RISO KAGAKU standard original, A4/Letter long-edge feed, 300 dpi, JPEG, or PDF, when stored to main unit hard drive, using Auto Document Feeder.

#### Multifunction Finisher FG10

Simplify the finishing process with automatic performance of multiple inline functions.

**Stapling:** Options include one corner staple or two staples for up to 100 sheets<sup>1</sup> of paper.

**Hole-punching:** Two or four holes can be punched through documents. **Folding:** Various automatic folding options are available (inward; outward; for A3/ledger-to-A4/letter sheet footprint reductions; and two-fold for up to five sheets making a 20-page booklet).

Booklet making: Automatic saddle stitch stapling of up to 60 pages (15 sheets).



## RISO Auto-Control Stacking Tray II

The paper guides automatically open to the correct width to match the paper in use.

Paper size	Max.: 320 mm x 432 mm (12 <sup>9</sup> / <sub>16</sub> " x 17") Min.: 90 mm x 148 mm (3 <sup>15</sup> / <sub>16</sub> " x 5 <sup>13</sup> / <sub>16</sub> ")
Tray capacity	1,000 sheets <sup>2</sup>



## Wide Stacking Tray

Wider paper can be printed and stacked in a wider tray to match the paper in use.

Paper size	Max.: 340 mm x 550mm (13 <sup>3</sup> /s"x 21 <sup>5</sup> /s") Min.: 90 mm x 148 mm (3 <sup>9</sup> /16" x 5 <sup>13</sup> /16")
Tray capacity	1,000 sheets <sup>2</sup>



 $^1 \rm When using plain paper or recycled paper (85 gsm) for A4, Letter, and B5, <math display="inline">^2 \rm When using plain paper or recycled paper (85 gsm)$ 



United Kingdom

Building 5, Trident Place Hatfield Business Park Mosquito Way Hatfield Hertfordshire AL10 9UJ ukenquiries@pb.com 08444 992 992